



MSL EDL Landing Site Safety Assessment and Prelaunch Status

Adam Steltzner, Steve Sell
and the
MSL EDL Team
Jet Propulsion Laboratory
California Institute of Technology

8th International Planetary Probe Workshop Portsmouth, Va. June 6th, 2011



Introduction



- MSL EDL system is finishing its final V+V prior to launch in November 2011
- The system has passed it's S/W-H/W run-for-record in April
- EDL risk assessment has been performed at all landing sites to support site selection
 - All sites have very low EDL risk (< 2%)
- Margins comfortable at all sites
 - Gale has highest margins
 - Eberswalde has lowest margins
 - Under worst case conditions, all margins at all sites still acceptable
- External review of EDL landing site risk assessment has been conducted
 - Board concurs with EDL team's conclusions
- EDL design is nearing completion of V+V and the team is comfortable flying to any site



Animation










Pre-launch Status





EDL Team

Mars Science Laboratory









EDL Team









EDL Team

Mars Science Laboratory













EDL Team

Mars Science Laboratory











EDL Team

SFMDT!







Rover Touchdown Testing







End to End EDL Analytical Validation(1/2)



13


Mars Science Laboratory EDL Team Deployment Tests in blue Mission Design/ Navigation Mortar ground fire tests ODP Analysis in orange · Mortar deployment tests Monte Inflation Entry Interface Aerothermal Environment · Viking BLDT, PEPP, SHAPE tests CFD: LAURA/DPLR FSI analysis · Wind tunnel testing: T5, Strength LENS, Mach 6 Subsonic wind tunnel testing TPS Response Inflated Performance **Aerodynamics** · Arcjet testing Flight data • CFD · High fidelity material · Viking test data Ballistic range testing response model Viking, MER wind tunnel data Aero/RCS interaction Peak Heating • CFD Near field separation Aerodeformation · Wind tunnel testing Viking interaction • CFD Atmosphere aerodynamics wind NASTRAN MarsGRAM 2005 tunnel data · TES data Separation h/w tests "Tailored" profiles Far field separation **Parachute** CFD **Deploy** Wind tunnel tests Peak Hypersonic Deceleration Heatshield **Aeromaneuvering** Separation POST 2 **DSENDS GSTS** ADAMS Development Flight V&V Dev. & Flight IV&V



End to End EDL Analytical Validation(2/2)



Mars Science Laboratory EDL Team









Landing Site Selection





Four Candidate Landing Sites

















Touchdown Hazard Maps














EDL Performance: Out of Spec Percentages







EDL Risk Summary



Mars Science Laborator

- Margins are generous at all landing sites and driven by site elevation
- Out of spec percentages are small across all landing sites
- Detailed tuning likely to reduce out-of-spec rate at any site but relative site-tosite risk variation not likely to change
- Terrain remains the notable risk differentiator with site elevation improving already generous margins and reducing qualitative risks

Site/Case	Mawrth	Gale	Eberswalde	Holden
Timeline Margin (1%-tile low)	20 s	23 s	18 s	22 s
Fuel Margin Above Allocation (1%-tile low)	45 kg	45 kg	40 kg	45 kg
In Spec	99.5%	99.6%	99.0%	99.4%

EDL team is very comfortable to fly to any site



Launch Status



- MEDLI integrated into heat shield
- Heat shield and back shell and cruise stage are at KSC awaiting integration
- Pre-ship review for rover and descent stage held today
- Rover and descent stage ship 6/22!!
- Final pre-launch integrated system test (ST-9) to occur 7/18-7/30
- Launch window opens Nov 25th
- Arrival period opens Aug 6th, 2012!!!



Conclusions



- MSL EDL system is finishing its final V+V prior to launch in November 2011
- The system has passed it's S/W-H/W run-for-record in April
- EDL risk assessment has been performed at all landing sites to support site selection
 - All sites have very low EDL risk (< 2%)
- Margins comfortable at all sites
 - Gale has highest margins
 - Eberswalde has lowest margins
 - Under worst case conditions, all margins at all sites still acceptable
- External review of EDL landing site risk assessment has been conducted
 - Board concurs with EDL team's conclusions
- EDL design is nearing completion of V+V and the team is comfortable flying to any site